

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 20-Jan-2022 Revision Date 20-Jan-2022 Revision Number 1

1. Identification

Product identifier

Product Name Synthetic ATV/UTV Engine Oil, 10W-40

Other means of identification

Product Code(s) AUV40

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Lubricating Oil

Restrictions on useAvoid formation of mists

Details of the supplier of the safety data sheet

Initial supplier identifier Manufacturer Address

AMSOIL INC. AMSOIL INC.

Bay Adelaide Centre, East One AMSOIL Center Tower Superior, WI 54880, USA

22 Adelaide St. W Superior, WI 54880, USA T: +1 715-392-7101

Toronto, ON, Canada M5H 4E3

T:+1 877-822-5172

E-mail compliance@amsoil.com

Emergency telephone number

Emergency telephone CHEMTREC: Within USA and Canada: 1-800-424-9300

Outside the USA and Canada: +1 703-741-5970

(collect calls accepted) 24/7

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015)

Label elements

Hazard statements

Not classified.

Other information

May be harmful in contact with skin.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Based on tests performed on the final product, the product is classified as non-hazardous.

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts	68457-79-4	0.1-1	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Chemical Additions

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

4. First-aid measures

Description of first aid measures

General advice Get medical attention immediately if symptoms occur. Show this safety data sheet to the

doctor in attendance.

Inhalation Remove person to fresh air and keep comfortable for breathing.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water. Take off contaminated clothing. Get medical attention if

irritation develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person.

Self-protection of the first aider Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause temporary eye irritation. May cause gastrointestinal discomfort if consumed in

large amounts. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Revision Date: 20-Jan-2022

Unsuitable extinguishing mediaDo not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the

chemical

Containers can burst or explode when heated, due to excessive pressure build-up. Thermal

decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After

cleaning, flush away traces with water.

Reference to other sections For additional information see: Section 8: Exposure controls/personal protection;

Section 12: Ecological information; Section 13: Disposal considerations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

used product. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash before reuse. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Do not reuse empty

containers. Store away from incompatible materials. See section 10 for more information.

Protect from physical damage.

8. Exposure controls/personal protection

Control parameters

Exposure Limits Under conditions which may generate mists, the following exposure limits are

recommended: Long-term exposure limit (8-hour TWA): 5 mg/m3. Short-term exposure limit

(15-minute): 10 mg/m³.

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Revision Date: 20-Jan-2022

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Apply technical measures to

comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection If there is a risk of contact:. Wear safety glasses with side shields (or goggles).

Hand protection If there is a risk of contact:. Wear suitable gloves. Ensure that the breakthrough time of the

glove material is not exceeded. Refer to glove supplier for information on breakthrough time

for specific gloves.

Skin and body protection If there is a risk of contact:. Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Avoid release to the environment. Local authorities should be advised if significant spillages

cannot be contained.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid Color Amber

Odor Mild hydrocarbon
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data available
Melting point / freezing point No data available

Initial boiling point and boiling

No data available

range

Flash point 242 °C / 467.6 °F Cleveland Open Cup ASTM D 92

Evaporation rate No data available Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available Vapor density No data available Relative density 0.8607 No data available Water solubility No data available Solubility(ies) No data available Partition coefficient No data available No data available **Autoignition temperature Decomposition temperature** No data available

Synthetic ATV/UTV Engine Oil, 10W-40

ASTM D445

Kinematic viscosity 88.3 cSt at 40 °C

14.1 cSt at 100 °C

Dynamic viscosity

No data available

Other information

Explosive properties No information available. **Oxidizing properties** No information available. Softening point No information available **Pour Point** -40°C [ASTM D 97] 267°C (COC) [ASTM D 92] **Fire Point** No information available Molecular weight No information available **VOC Content (%) Liquid Density** No information available **Bulk density** No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors. Carbon

monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause temporary eye irritation. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

 ATEmix (oral)
 6,593.70 mg/kg

 ATEmix (dermal)
 2,637.50 mg/kg

Component Information

I	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ì	Phosphorodithioic acid, mixed	= 3600 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	-

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
O,O-bis(iso-Bu and pentyl) esters, zinc			
salts			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Component Information			
Phosphorodithioic acid, mixed O,O-bis	Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)		
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion		
Species Rabbit			
Exposure route Eye			
Effective dose 0.1 mL			
Results Eye Damage			

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The supplier declares that it can be shown that the substance(s) contain less than 3%

DMSO extract as measured by IP 346.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard Due to the viscosity, this product does not present an aspiration hazard.

12. Ecological information

EcotoxicityNot considered to be harmful to aquatic life. Large or frequent spills may have hazardous

effects on the environment.

	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
				microorganisms	
Ī	Phosphorodithioic acid, mixed	EC50: 1.0 - 5.0mg/L	LC50: 25 - 50mg/L	-	EC50: 4.0 - 6.0mg/L
	O,O-bis(iso-Bu and pentyl)	(96h,	(96h, Pimephales		(48h, Daphnia magna)
-	esters, zinc salts	Pseudokirchneriella	promelas)		
	68457-79-4	subcapitata)	LC50: >100mg/L (96h,		
		, ,	Pimephales promelas)		

Persistence and degradability No information available.

Bioaccumulation No information available.

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

California waste information

This product contains one or more substances that are listed with the State of California as

Revision Date: 20-Jan-2022

a hazardous waste.

14. Transport information

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Hydrogenated base oil	72623-87-1	Present	Active
2-ethyl-2-[[(1-oxononyl)oxy]methyl]pro pane-1,3-diyl dinonan-1-oate	126-57-8	Present	Active
Hydrogenated base oil	64742-65-0	Present	Active
Hydrogenated base oil(s)	-		
non hazardous ingredient	-		
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	68649-42-3	Present	Active
bis(nonylphenyl)amine	36878-20-3	Present	Active
Benzene, diethenyl-, polymer with 2-methyl-1,3-butadiene, hydrogenated	127883-08-3	Present	Active
4,4'-Methylene bis(dibutyldithiocarbamate)	10254-57-6	Present	Active
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts	68457-79-4	Present	Active
Hydrogenated base oil	64742-54-7	Present	Active
Non-hazardous ingredients	-		
Hydrogenated base oil	8042-47-5	Present	Active
Hydrogenated base oil	72623-86-0	Present	Active
Hydrogenated base oil	64742-70-7	Present	Active
Hydrogenated base oil	64742-56-9	Present	Active

^{*}Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters,	1.0
zinc salts - 68457-79-4	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	<u>-</u>	X	-	_

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphorodithioic acid,	X	-	X
O,O-di-C1-14-alkyl esters, zinc			
salts			
68649-42-3			
Phosphorodithioic acid, mixed	X	-	X
O,O-bis(iso-Bu and pentyl)			
esters, zinc salts			
68457-79-4			
Hydrogenated base oil	-	X	-
64742-70-7			
Hydrogenated base oil	-	X	-
64742-56-9			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 20-Jan-2022

Revision Date 20-Jan-2022

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet